



Over 270 No Crush Rolls for Corrugated

Advanced

WI-2050, 7.75" OD x 3.9376" ID
WI-2051, 5.875" OD x 1.875" wide
WI-3918, 6.0" OE x 2.0" wide, uses (2) 1635 bearings

Agnati

WI-3019, 9.750" OD cast to alum. Hub
WI-3036, 5.875" OD x 2.0" wide for snap in bearing
WI-2623, 4.375" OD x 2.0" wide, to mount on hub
WI-3441, 4.875" OD x 1.937" wide, mounts on hub
WI-2756, I Hold Down No Crush cast to alum. Hub
WI-3592, No Crush for WI-3591 Alum. Hub,, 5.875" OD, 2.0" wide
WI-3124, No Crush Roll for Stacker, 8.580" OD x 1.875" wide
WI-3294, No Crush Roll for alum. Hub, 9.830" OD x 2.0" wide

Alegra

WI-4361, 3.50" OD x 1.250" wide, uses (2) 6004 bearings

Ametek

WI-2401, No Crush Roll for Folding Rails, 4.0" OD x 1.75" wide, uses (2) 1644 bearings
WI-4126, 5.375" OD x 3.062" wide

Andax Waxer

WI-2345, 4.0" OD x 2.0": wide

Asistrade

WI-3605, 4.875" OD x 3.0" wide
WI-3265, 4.0" OD x 1.0" wide, uses (1) 6204 bearing
WI-4058, 13.250" OD x 2.687" wide

Automatan

WI-2337, 5.187" OD x 1.75" wide

BGM (Bahmuller/Gopfert)

WI-2606, 6.320" OD x 3.0" wide, uses (3) bearings

BHS

WI-92, OEM# 12305232-, 165 (6.5"), OD x 5-mm wide
WI-3547, OEM# 136481820, 180mm OD (7.09") x 50mm wide
WI-4000, OEM# 118501500, 337mm (13.25") wide x 70mm wide

Bostitch

WI-90B, No Crush for folding section, 4.0" OD x 1.75" wide, uses WI-93 Alum. Hub

Box King

WI-3646, 117mm OD x 50mm wide, uses (2) 6005 bearings one end
WI-3903, 4.625" OD x 2.0" wide, uses (2) 6005 bearings on end
WI-4562, Autofeed Section No Crush, 6.50" OD x 2.0" wide
WI-5114, 4.50" OD x 1.75" wide, uses (2) 6005 bearings on end

Comet

WI-2677, 3.750" OD x 1.75" wide, use (2) 1635 bearing

Curioni

WI-4277, OEM# 7900041800, 3.150" OD x 1.260" wide
WI-4281, OEM# 790066000, 4.72" OD x 1.020" wide
WI-4282, OEM# 790068200, 2.950" OD x 1.020" wide
WI-3669, 4.875" OD x 1.350" wide

Doyle

WI-2729, 6.50" OD x 2.0" wide

Emba

WI-2113, Transfer Section, 4.0" OD x 1.8125" wide
WI-3350, OEM# 168852, 245 Transfer, 213mm OD x 50mm wide
WI-4055, OEM# 170748, 245 Quickset, 3.540" OD x 1.150" wide, uses (2) 6002 bearings on end
WI-4056, 245 Quickset, 2.716" OD x 1.100" wide, uses (2) 608 bearings
WI-4353, for Emba Die Cut Section, 8.875" OD x 1.87" wide
WI-3746, for Emba 290, 3.625" OD x 1.125" wide, uses (2) 600d bearings one end

E & L Web Aligner

WI-2278, No Crush Roll with cast on spacer, 6.50" OD x 2.0" wide

Fosber

WI-2416, OEM# 110915, Stacker No Crush Roll, 11.5" x 7.0" ID x 2.0" wide
WI-5105, New Stacker No Crush, 13.228" OD x 8.5" ID x 2.756" wide
WI-4535, Stacker No Crush, 11.5" OD x 6.875" ID x 2.0" wide
WI-2417, OEM# 110537, 6.625" OD x 2.0" wide
WI-4148, Fosber Corrugator Cut Off No Crush for alum. Hub, 6.0" OD x 1.5" wide

General Taper No Crush Rolls

WI-2615, 8.0" face width x 4.0" OD
WI-2625, 4.0" face width x 4.0" OD
WI-2626, 2.50" face width x 4.0" OD
WI-2627, 8" face width x 4.0" OD, slotted
WI-2628, 8" face width x 4.0" OD stepped

Global Gluer

WI-3093, 3.543" OD x 1.875" wide, uses (2) 6004 bearings on end
WI-4205, 6.625" OD x 2.0" wide

Visit Wagner's web site:
www.wagnerind.com

Click on "search" and enter the part number as shown for full description

George M. Martin Co.

WI-3308, Martin Stacker No Crush Roll, 8.125" OD x 2.5" wide

WI-3475, Martin Stacker No Crush Roll, 7.812" OD x 2.375" wide

WI-3478, Martin Stacker No Crush Roll, 5.0" OD x .875" wide, uses (1) 1603 Bearing

WI-4285, Martin Stacker No Crush Roll, 7.875" OD x 2.5" wide to mount on 6" hub

Grant

WI-94G, 6.0" OD x 1.0" wide got hub

WI-96G, 6.0" OD x 1.0" wide no hub Required, uses (1) 1630DS bearing

WI-229, 4.5" OD x 1.0" wide, uses (1) 1630DS bearing

WI-4374, for Grant Counter Ejector, 4.5" OD x 2.875" wide

WI-2151, Grant Stacker Feed Roll, Face Length 30" wide

Greene Line

WI-92G, OEM# 60-1789NC, 6.50" OD x 2.0" wide

WI-2109, 5.875" No Crush Roll with 0.75" bronze bushing

WI-2135, 9.50" OD x 2.0" wide

WI-2639, 7.875" OD x 2.0" wide

WI-3509, 9.50" OD x 2.0" wide, uses (2) 1630 bearings on end

WI-2147, OEM# 60-6969, Out Feed Roll, 5.375" OD x 46.625" wide, uses (2) 1630DS bearings, also available in 9.5" OD

WI-3533, Stacker Feed Roll, 13.250" OD x 8.0 ID, Face Length 100"

HyCorr

WI-3602, 6.50" OD x 1.0" wide, uses (1) 1635 bearing on center

WI-3602-2, 6.50" OD x 2.0" wide, uses (2) 1635 bearings on end

WI-3920, HyCorr Rotary Die Cutter, 6.50" OD x 2.0" wide, uses (2) 1630 bearings on end

Isowa

WI-2004, No Crush Roller, no hub required, 4.0" OD x 1.75" wide, uses (2) 6004 bearings

Ishikawa

WI-3262, 6.0" OD x 1.0" wide, uses (2) 6204 bearings

Koppers/Hooper/Universal United

WI-90, OEM# A36189A, 4.0" OD x 1.75" wide

WI-97, OEM#A36189NC, 4.0" OD x 1.75" wide, no hub required, uses (2) 1630DS bearings

WI-1049, 6.408" OD x 3.0" wide

WI-1068, OEM# WA80870, 4.375" OD x 2.0" wide

WI-4259, for 24" Hooper Swift, 3.50" OD x 1.0" wide, uses (1) 1630 bearing

WI-2099, Koppers Tray Machine, 2.375" OD x 1.25" wide

WI-3505, United 50" Robotix, 7.125" OD x 2.962" wide

WI-3685, United 6.0" OD x 2.0" wide, uses (2) 1623 bearings on end

WI-3058, Koppers No Crush, 7.20" OD x 2.0" wide

WI-2269, OEM# J5434E, Koppers No Crush, 4.0" OD x 1.0" wide

WI-2279, Universal No Crush 4.0" OD x 1.75" wide, no hub required, uses (2) 1621 bearings

WI-2284, Koppers No Crush 4.25" OD x 1.75" wide

Langston

WI-90L, 4.0" OD x 1.75" wide

WI-2008L, for Model 254, 3.625" OD x 1.50" wide, uses (2) 1621 bearings

WI-2076, No Crush Roller with 0.375" cast Keyway, 4.25" OD x 1.75" wide

WI-2101, 3.75" OD x 1.175" wide

WI-2104, 5.875" OD x 1.9375" wide, uses (2) 1604 bearings one end

WI-2136, No Crush roll, no hub required, 3.75" OD x 1.50" wide, uses (2) 1621 bearings

WI-2224, 5.360" OD x 3.062" wide

WI-2231, for Mini Saturn, 4.0" OD x 1.25" wide

WI-2232, No Crush Roll, no hub required, 3.75" OD x 1.0" wide, uses (1) 1621 bearing

WI-2838, 4.0" OD x 1.625": wide, uses (2) 1635 bearings

WI-4066, for 50" Langston, 4.0" OD x 4.0" wide, uses (2) 1621 bearings and spacers

WI-2236, OEM# 148948, Saturn II, 6.187" OD x 3.062" wide

WI-2282, 6.125" OD x 3.062" wide

WI-2355, 4.0" OD x 1.50" wide

WI2368, OEM# 28467A, 4.25" OD x 1.75"

Maramatsu

WI-2622, 5.0" OD x 1.0" wide

WI-4305, 5.0" OD x 2.937" wide

Massenzana

WI-4618, 3.5" OD x .75" wide

Marquip

WI-84, OEM# 3222919, Jumbo Corrugator Downstacker, no spacer required, 13.25" OD x 2.75" wide

WI-92, OEM# 3222610, Knife Outfeed Roller, 6.50" OD x 2.0" wide, no spacer required

WI-2008M, OEM# 3222985, Stacker No Crush Roller, 9.50" OD x 2.75" wide

WI-2100, Outfeed No Crush Roller, 5.50" OD x 1.062" wide

WI-2110, Stacker No Crush Roller, 6.125" OD x 1.50" wide

WI-4320, for Marquip Outfeed, 6.50" OD x 1.955" wide

Martin/Bobst Martin

WI-210M, No Crush Roll with 0.5" cast Keyway, 4.25" OD x 1.75" wide

WI-227, for Model 925 Midline, OEM# 03524354, 3.94" OD x 1.875" wide, no hub required

WI-1199B, OEM# 258-4559, 4.375" OD x 1.75" wide

WI-2029, for 616 Miniline, 3.94" OD x .875" wide

WI-2066, OEM# BC8920, 4.625" OD x 2.0" wide

WI-4488, for Model 1228, 4.250" OD x .875" wide

WI-4156, OEM#89200020, No Crush Roller for Counter Ejector, 3.94" OD x 1.75" wide, uses (2) 6202 bearings

WI-2068, fir 924 Nudkubem 4,625" OD x 4,0" wide

WI-2074, OEM#337-4748, 616 Miniline, 3.94" OD x .875" wide, uses (2) 6004 bearings, no hub required

WI-2148, OEM# P8840, 5" OD x .875" w.

WI-3737, 4,0" OD x 1.5" wide, uses (2) 1621 bearings on center

WI-3746, 100mm OD x 45mm wide

WI-2739, 4.875" OD x 2.975" wide

WI-3318, for Model 718, 3.94" OD x .875" wide

WI-3459, for Martin 924, 3.94" OD x 1.75" wide

WI-4131, No Crush Roll 4.60" OD x 3.0" wide

Visit Wagner's web site:

www.wagnerind.com

Click on "search" and enter the part number as show for full description

McKinley

WI-96, No Crush Roll, no hub required, 6.0" OD x 1.0" wide, uses (1) 1630DS bearing

WI-229, No Crush Roll, no hub required, 4.5" OD x 1.0" ID, uses (1) 1630DS Bearing

WI-2671, 6.0" OD x 2.0" wide, uses (2) 1630DS bearings

WI-3140, 4.0" OD x 2.0" wide, uses (2) 1630 bearings

WI-3428, 3.625" OD x 1.0" wide, uses (1) 1630 bearing

Mitsubishi

WI-2073A, 6.50" ODS x 3.0" wide

WI-2108, No Crush Roll with steel core, 7.27" OD x 4.72" wide

WI-2347, OEM # WWG0246, No Crush Roll with alum. Core, 6.3386" OD x 1.574" wide

WI-2162, 200mm OD x 50mm wide

WI-3060, 3.5433" OD x 1.9685" wide

WI-3434, No Crush Roll cast to alum. Core, 3.543" OD x 1.98" wide

Mitsubishi Evol

WI-4130, 1.930"OD x .984" wide, (2) bearings and spacer included

Owens Stacker

WI-4256, 6.50" OD x 3.0" wide

SEC

WI-80, OEM# B-101014, No Crush Roller, no hub required, 3.0" OD x 1.5" wide, uses (1) 1621 or 1623 bearing

WI-82, OEM# B50-10303A, No Crush Roller, no hub required, 3.625" OD x 1.0" wide, uses (1) 1621 or 1623 bearing

WI-2245, No Crush Roller, no hub required, 3.625" OD x 1.5" wide

Serenco

WI-2609, No Crush Roll, no hub required, 4.0" OD x 2.0" wide, uses (2) 1623 Bearings

WI-3550, 4.0" OD x 1.75" wide, uses (2) 6201 bearings

WI-3955, for folding rails, 4.0" OD x 2.0" wide, uses (2) 6201 bearings on center

Simon

WI-2650, Simon 350, 95mm OD x 50mm wide

WI-3734, 3.0" OD x 1.750" wide, uses (2) bearings in center

S & S/Prime Technologies

WI-94, OEM# ZLG51252, 6.0" OD x 1.0" wide. Uses alum. Hub WI-91

WI-96, OEM@ ZLG5125200-B, No Crush Roller, no hub required, 6.0" OD x 1.0" wide, uses (1) 1630 bearing

WI-100, OEM# 701-52100-0-0, No Crush Roller, 1st folding section, 4.50" OD x 1.0" wide

WI-210, OEM# 701-52022, No Crush Roll 4.50" OD x 1.75" wide, use WI-83 hub

WI-229, OEM#701052100-00, No Crus Roller, 1st folding section, 4.50" OD x 1.0" wide, 8ses (1) 163 bearing

WI-230, OEM# 701-52022, No Crush Roll, no hub required, 4.50" OD x 1.875" wide, uses (2) 6204 bearings

WI-3716, 4.50" OD x 1.0" wide, uses (1) 6204 bearing

Staley

WI-81, No Crush Roller, no hub required, 5.187" OD x 1.75" wide, uses spacer and (2) 1635DS bearings

WI-2132, 3.625" OD x 1.125" wide

WI-3696, for Jumbo folding rails, 4.0" OD x 1.875" wide

TCY

WI-3554, 4.0" OD x 2.0" wide

WI-3087, 7.875" OD x 2.0" wide

WI-3298, 125mm OD x 30mm wide

WI-2915, 4.0" OD x 1.75" wide, uses (2) 6204 bearings

Tecasa

WI-3189, 4.0" OD x 1.75" wide, uses (2) 1635 bearings on end

WI-3280, for 38" machine, 6.0" OD x 2.0" wide

WI-3684, 6.250" OD x 2.250" wide

WI-4594, 6.0" OD x 1" wide

WI-3879, 8.750" OD x 1.75" wide

WI-4217, 6.0" OD x 1.0" wide

WI-4270. 1st folding section, 7.875" OD x 1.75" wide

TEI Prefeeder

WI-4157, No Crush Roll cast to hub, 6.500D

United

WI-3505, for 50" Rototix, 7.125" OD x 2.962" wide

WI-3685, 6.0" OD x 2.0" wide, uses (2) 1623 bearings

Virgil Dice Tray

WI-101-M, 4.0" OD x 1.875" wide, uses (1) R16ZZ snap-in bearing

Ward

WI-3837, OEM# 270947, No Crush Rolls for Folding Rails, 3.940" OD x .900" wide

WI-3873, OEM# 245879, No Crush Rolls for Transfer Section, 2.50" OD x 1.75" wide, uses (2) 1616 bearings in center

WI-3499, No Crush Roller, 4.250" OD x 1.750" wide with .5" keyway cast in bore

WI-4362, 4.0" OD x 1.0" wide, uses (1) 1621 bearing in center

WI-3418, for Ward Stacker, 8.0" OD x 1.875" wide, uses (2) 1635 bearings on end

WI-4316, for Ward Die Cutter, 6.0" ID x 2.0" wide, uses (2) 1630 bearings on Center

WI-4221, No Crush Roll to mount on alum. Hub, 6.50" OD x 3.0" wide

WI-2105, No Crush Roller, no hub Required, 4.0" OD x 2.0" wide, uses (2) 1621 bearings

WI-2188, 6.12" OD x 3.0" wide

WI-4362, for 37.5" Folding Rails 4.0" OD x 1.0" ID, uses (1) 1621 bearing

WI-3718, No Crush Roll cast to core, 4.0" OD x 1.940" wide

WI-3845, No Crush Roll mounted on bronze bushing, 3.125" OD x 1.5" wide

Visit Wagner's web site

www.wagnerind.com

Click on "search" and enter the part number as shown for a full description.

For questions e-mail:

gelgcas@bellsouth.net

More No Crush Rolls listed on the page below.

Over the years, we have made a large number of No Crush Rolls that cannot be identified by machine. They are listed as "Imperial US" and "Metric" sections, but not in any specific order. Contact Wagner

info@wagnerind.com

for any addition info you may need.

Scroll Down



No Crush Rolls with "Imperial/US" measurements

WI-2099, for Tray Machine 2.375" OD x 1.25" wide, uses (2) 608 bearings
WI-2099-JR, 2.375" OD x 1.25" wide
WI-2188, 6.120" OD x 3.5" ID x 3.0" wide
WI-2670, 6.50" OD x 2.0" wide
WI-3038, 4.50" OD x 2.0" wide, uses (2) 1635 bearings
WI-3041, 5.0" OD x 3.0" wide
WI-3094, 3.0" OD x 1.5" wide
WI-3129, 5.875" OD x 2.0" wide, uses (2) 1621 bearings on center
WI-3149, 6.0" OD x 3.0625" wide
WI-3236, 3.625" OD x 1.0" wide, uses (1) 1630 bearing
WI-3251, 3.94" OD x 1.125" wide
WI-3322, 6.0" OD x 1.0" wide, uses (1) 1641 bearing
WI-3324, Coater No Crush Roll, 6.0" OD x 3.0625" wide
WI-3350, 6.0" OD x 2.0" wide, uses (2) 1630 bearings recessed .25" on each side
WI-3390, 4.0" OD x 1.750" wide
WI-3533, 6.0" OD x 2.0" wide, uses (2) 1623 bearings on end
WI-3563 4.50" OD x 1.0" wide, uses (1) 1621 bearing
WI-3566, 3.50" OD x 1.0" wide
WI-3583, 6.625" OD x 1.57" wide
WI-3606, 6.50" OD x 1.0" wide, uses (1) 1630 bearing
WI-3629, 4.50" OD x 2.0" wide, uses (2) 1641 bearings
WI-3630, 3.50" OD x 2.0" wide, uses (2) 1641 bearings
WI-3636, 3.543" OD x 1.75" wide, uses (2) snap in bearings
WI-3640, 5.50" OD x 2.0" wide
WI-3647, 2.375" OD x .750" wide
WI-3663, 5.875" OD x 2.0" wide, uses (2) 1621 bearings
WI-3665, 6.0" OD x 3.0" wide
WI-3667, 3.125" OD x 1.50" wide, uses (1) 1621 bearing
WI-3687, 9.842" OD x 2.755" wide
WI-3691, 3.0" OD x .750" wide
WI-3692, 4.0" OD x 2.0" wide, uses (2) 6001 bearings
WI-3712, 6.375" OD x 1.875" wide
WI-3718, No Crush Roll cast to core 4.0" OD x 1.940" wide, bore with short side on raised shoulder
WI-3732, 6.0" OD x 2.0" wide

WI-3749, 4.0" OD x 2.0" wide
WI-3751, 6.750" OD x 2.0" wide, uses (2) 1630 bearings on end
WI-3761, 6.948" OD x 3.0625" wide
WI-3768, 8.0" OD x 2.0" wide
WI-3770, 3.94" OD x 1.75" wide
WI-3771, 3.50" OD x 2.0" wide, uses (2) 1621 bearings
WI-3774, 5.0" OD x 2.0" wide
WI-3779, 3.50" OD x 1.5" wide
WI-3845, No Crush Roller mounted to bronze bushing 3.125" OD x 1.50" wide
WI-3784, 6.220" OD x 3.0" wide
WI-3904, 3.5" OD x 2.0" wide
WI-3926, 6.50" OD x 2.0" wide
WI-3964, 4.625" OD x 4.0" wide, recessed .25" on each side, uses (2) 1635 bearings
WI-3990, 2.50" OD x 1.875" wide, uses (2) 1601 bearings
WI-4001, 6.450" OD x 2.0" wide
WI-4027, No Crush Roll to mount on alum. Hub 4.0" OD x 2.0" wide
WI-4067, No Crush Roll cast to Pull Roll for 6 bar splitter
WI-4140, 3.543" OD x 1.181" wide
WI-4179, 3.5" OD x 2.0" wide, uses (2) 6204 bearings on end
WI-4190, 5.0" OD x 1.0" wide, uses (1) 1630 bearing
WI-4220, 5.0" OD x 1.5" wide, uses (1) 1621 bearing
WI-4364, No Crush Roll for Rotary Shear, 4.875" OD x 1.250" wide
WI-4369, 8.50" OD x 2.0" wide
WI-4371, 6.50" OD x 1.75" wide
WI-4402, 9.50" OD x 2.0" wide
WI-4433, 4.875" OD x 65mm wide
WI-4437, 4.50" OD x 1.75" wide, uses (2) 6001 bearings on end
WI-4510, 9.0" OD x 3.0" wide
WI-4654, No Crush Hold Down Rolls, 4.0: OD x 2.0" wide, use (2) 1630 bearings on end
WI-4675, No Crush Rolls for Folding Rails, 2.5" OD x .900" wide, use (1) 1616RS bearing

No Crush Rolls with "Metric" measurements

WI-3272, 200mm OD x 50mm wide
WI-3275, 150mm OD x 40mm wide
WI-3426, 160mm OD x 40mm wide
WI-3427, 100mm OD x 40mm wide
WI-3488, 165mm OD x 50mm wide
WI-3518, 75mm OD x 12mm wide
WI-3639, 100mm OD x 45mm wide
WI-3659, 166mm OD x 50mm wide
WI-3733, 200mm OD x 35mm wide
WI-3757, No Crush Roll cast to alum. Hub, 127mm OD x 30mm wide
WI-3775, 163mm OD x 47mm wide
WI-4029, 103mm OD x 45mm wide
WI-4030, 105mm OD x 35mm wide
WI-4122, 125mm OD x 50mm wide
WI-4217, 168mm OD x 50mm wide
WI-4218, 124mm OD x 31mm wide
WI-4388, 200mm OD x 50mm wide
WI-4390, 111mm OD x 50mm wide
WI-4401, 160mm OD x 40mm wide
WI-4484, 100mm OD x 25mm wide, uses (1) 6201 bearing
WI-4503, 80mm OD x 38mm wide
WI-4504, 157mm OD x 60mm wide
WI-4508, 100mm OD x 45mm wide

PLEASE NOTE:

There are over 270 items listed on these four pages. Some models may have discontinued. If you cannot find what you are looking for, please contact Wagner at 800-874-1998 or a sales representative at gelgcas@bellsouth.net

Visit Wagner's web site

www.wagnerind.com

Click on "search" and enter the part number as shown for a full description.

For questions e-mail:

gelgcas@bellsouth.net